

Thank you for choosing  
**Warmboard**



Contained in this box is the Warmboard Bridge. The Bridge acts as a portal, connecting the Warmboard Comfort System to your home network. This is not a required feature, but it will allow you to access the system from your smart phone, and should the need arise, allow us to remotely troubleshoot any issues you are having. The Bridge also allows your Warmboard Comfort System to maintain an accurate date and time and receive essential software updates.

**Thank you for choosing Warmboard.**

- 1 Remove the Bridge from the packaging, then lift the inside of the box to access the Ethernet cable.
- 2 Connect one end of the Ethernet cable to an available port on your Internet router, and the other end to the Bridge, then plug into an available power outlet.
- 3 Download the Warmboard Vacation app for your iOS/Android device, then scan the QR code on the side of the Bridge.
- 4 Your system is now accessible through your smart phone.

**Declaration of Conformity  
47 CFR § 2.1077 Compliance Information**

Warmboard Bridge // FCC ID: 2ASM7-WBR01

**Responsible Party – U.S. Contact Information**

Warmboard Inc.  
8035 Soquel Drive, Suite 41  
Aptos, California 95003 USA

877.338.5493 // warmboard.com

**FCC Compliance Statement**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. When using this device, a distance of 20cm to the user should always be maintained.

This radio transmitter (24839-WBR01) has been approved by Industry Canada to operate with the antenna types listed below with the maximum permissible gain and required antenna impedance for each antenna type indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device. When using this device, a distance of 20cm to the user should always be maintained. 1.9dBi PCB antenna.

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent émetteur radio (24839-WBR01) a été approuvé par Industrie Canada pour fonctionner avec les types d'antenne énumérés ci-dessous et ayant un gain admissible maximal et l'impédance requise pour chaque type d'antenne. Les types d'antenne non inclus dans cette liste, ou dont le gain est supérieur au gain maximal indiqué, sont strictement interdits pour l'exploitation de l'émetteur. Lors de l'utilisation de cet appareil, une distance de 20 cm par rapport à l'utilisateur doit toujours être maintenue. Antenne de carte PCB 1.9dBi.

Cet appareil contient des émetteurs / récepteurs exemptés de licence conformes aux RSS (RSS) d'Innovation, Sciences et Développement économique Canada. Le fonctionnement est soumis aux deux conditions suivantes:

1. Cet appareil ne doit pas causer d'interférences.
2. Cet appareil doit accepter toutes les interférences, y compris celles susceptibles de provoquer un fonctionnement indésirable de l'appareil.



**Warmboard, Inc.**

8035 Soquel Drive, Suite 41  
Aptos, California 95003

1.877.338.5493  
warmboard.com

